color laser printer



Phaser 7750 Tabloid Color Printer

The full-spectrum printer for design and business.

There's little room for compromise if you rely on color to communicate ideas and solidify concepts. It's got to be spot on every time you print, and you don't have all day to deliver. The Phaser 7750 color laser printer has the complete feature set for professional design: fast performance to keep pace, fully controllable and customizable color output, and intelligent features that help speed projects through to completion.

Bright colors at blazing speed.

The Phaser 7750 color laser printer sets the pace for tabloid laser printers. It powers through the most complicated, high-coverage print jobs with ease, and delivers impressive results, consistently. Bolstered by powerful system level components, the Phaser 7750 color laser printer won't make you late. It'll make you shine.

- Speed up to 35 pages-per-minute keeps productivity high.
- First-page-out time of less than 11 seconds and no long warm-up times.
- 715 MHz G4 PowerPC processor makes short work of complex, graphic-intensive layout files.
- Up to 1 GB of memory helps minimize print queues in production-oriented offices.
- Supports Tabloid, Tabloid Extra and Bannersized paper.

Better color by design.

There's an impressive quality to Phaser 7750 prints. Colors pop, the images are sharp... and the colors are the exact ones you specify. New Emulsion Aggregation Higher Gloss toner uses smaller, more uniform toner "particles" to bring more detail and clarity to every image. Plus, the Phaser 7750 printer is fully loaded with software to ensure that what you expect to see is what you get.

- · Glossy, vivid colors and rich, deep blacks.
- Resolution up to 1200 x 1200 dpi for lifelike, high-quality color output.
- Remarkably consistent output over the length of the print run.
- TekColor color correction is your visual guide to accurately simulating output colors of other devices, such as your computer screen or a printing press.
- Powerful PhaserMatch 3.0 and PhaserCal color management and calibration software help you maintain color accuracy from concept to final production — an essential tool for any graphic professional.



Easy to work with.

A busy office or design shop needs to rely on its color printer, not babysit it. The Phaser 7750 color printer practically installs itself, and intelligent management features help it blend in nicely with brisk-paced businesses.

- Prints on a wide variety of media, from bond and glossy paper to card and cover stocks with excellent reliability.
- Driver installs with just four mouse clicks; you'll be printing in minutes.
- Front panel graphically displays remaining toner levels, so there are no surprises.
- PrintingScout and media size sensors and alerts help prevent unintended misprints.
- Up to five feeder trays support the full gamut of media for full production flexibility.

 Optional Finisher (standard in DXF configuration) adds stapling, collating and job offsetting features.



Always Productive

The Phaser 7750 color laser printer comes standard with a suite of software tools to aid productivity in today's complex office technology environments.

CentreWare IS Embedded Web
Server provides easy printer
management via your favorite
web browser. Save time with
configuration cloning and automatic installation, and access MaiLinX
email alerts, consumables status, printer
configurations, job accounting and
automated support.

For enterprise-level printer management, server-based CentreWare Web makes it easy for IT administrators to install, configure, obtain reports and troubleshoot all Xerox and non-Xerox network devices simultaneously.

PrintingScout (instant pop-up Help), PhaserSMART (remote diagnostic tool), a full one-year on-site warranty and the Xerox Total Satisfaction Guarantee ensure that your printer will be on-line, all the time

High performance from start to finish

If you print a lot of multi-page documents, you'll find the Phaser 7750DXF configuration tremendously useful. We've added a High-Capacity Feeder 1 to give you an additional universal tray and two lettersize trays for a total 3,150-sheet capacity. A Finisher 2 simplifies your on-demand workload by stapling sets of up to 50 sheets and offset-stacking them for easy pick-up and distribution.

The Phaser 7750DN configuration comes with automatic 2-sided printing and two versatile paper input trays: a 150-sheet multi-purpose Tray 1, 3 and a 500-sheet universal tray 4.

The Phaser 7750GX configuration adds a lower tray deck, containing three 500-sheet universal trays (5) for a total capacity of

(6) *(7) for a total capacity of* 2,150 *sheets*.

need more information? Find it at www.xerox.com/office

See the Phaser 7750 printer in action. Visit your Xerox reseller, or see a virtual demo:

www.xerox.com/office/7750demo

Services & Support. Learn about Total Satisfaction ServicesSM award-winning service: **www.xerox.com/office/support**

Get color connected. Xerox Color Connection includes access to a special web site, newsletters, tutorials, product updates and great ideas: **www.colorconnection.xerox.com**

PhaserMatch 3.0. See how you can customize print profiles to match your exact specifications:

www.xerox.com/office/7750phasermatch











CONFIGURATIONS	7750B	7750DN	7750GX	7750DXF	
Performance Print speed	Up to 35 ppm color and black-and-white				
First page out	As fast as 11 seconds				
Memory (Std / Max)	256 MB / 1 GB RAM	384 MB / 1 GB RAM 512 MB / 1 GB RAM			
Processor	715 MHz G4 class processor, Adobe PostScript 3, PCL5c				
Internal hard drive	Optional	Standard 20 GB internal hard drive			
Maximum duty cycle	150,000/month				
Print Quality Maximum resolution	1200 x 1200 dpi Enhanced 1200 x 600 dpi Standard	1200 x 1200 dpi Photo, Enhanced, Standard			
Networking Network connectivity	USB 2.0	10/100BaseTX Ethernet, USB 2.0			
Paper Handling Automatic 2-sided printing	Optional	Standard			
Paper input capability Standard	150-sheet Tray 1, 500-sheet Tray 2				
			1,500-sheet lower tray deck	1,000-sheet finisher (stapler/stacker) 2,500-sheet high-capacity feeder	
Productivity Standard features	Phaser Installer, Intelligent Ready, Job Pipelining				
	Custom Size Pages, Embedded Web Server, E-mail alerts, Enhanced PrintingScout, PhaserSMART, Job Accounting, Usage Analysis Tool, Booklet Printing, Smart Trays, Banner-size Printing, Proof/Secure/Saved Print, PDF 1.4 direct, Extended Font Storage, Job Collation				
		PhaserCal color calibration	PhaserCal plus PhaserM	atch 3.0 color management	
Warranty	One-year on-site, Xerox Total Satisfaction Guarantee				

SPECIFICATIONS

Network/Software

Printer management Xerox CentreWare Printer Management for Microsoft, Novell and Unix, CentreWare IS Embedded Web Server, CentreWare Web Administrator, Xerox NDPS Gateway, Usage Analysis Tool (not available on non-networked model)

Font capabilities 137 Resident PS fonts and 81 PCL

Printer drivers Windows 98/Me, Windows NT 4.x, Windows 2000/XP, MacOS 9.x/X, version 10.1 or higher, Novell NetWare 4.x/5.x/6.x, UNIX (Linux 5.2+, Sun OS 4.x,Sun Solaris 2.4+, DEC, HP/UX 11.x, IBM AIX 4.2+, SGI, SCO).

 $\begin{tabular}{ll} \textbf{Languages} & True & Adobe^\circ, PostScript^\circ, 3^\text{\tiny TM}, PCL5c \\ emulation & with automatic sensing and switching. \\ \end{tabular}$

Paper handling

Tray 1: 150-sheet Tray (standard) 18–40 lb. Bond and 65–80 lb. Cover (65–220 gsm), coated, glossy, Phaser Digital Photo Paper, labels, envelopes, Phaser Trifold Brochures, Phaser Weatherproof paper, Phaser Postcards, Phaser 45-Series Transparency Film. *Media sizes:* A/Letter, Executive, Statement, US Folio, Legal, Tabloid, Tabloid Extra*, Banner*, A4, A5, A6, A3, B5 JIS, B4 JIS, ISO B5, SRA3*, and Custom sizes; Envelopes: #10, A7, DL, B5, C6, C5, C4. (*not available on B)

Tray 2: 500-sheet Tray (standard) 18–40 lb. Bond and 50–60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper, Phaser 45-Series Transparency Film. *Media sizes:* A/Letter, Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5 JIS, B4 JIS, and Custom sizes.

Tray 3, 4, 5: 1,500-sheet lower tray deck (standard on GX) 18–40 lb. Bond and 50–60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes*: A/Letter,

Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5

Tray 3, 4, 5: 2,500-sheet high capacity feeder (standard on DXF) 18-40 lb. Bond and 50-60 lb. Cover (65–169 gsm), glossy coated paper, thin card stock, Phaser Weatherproof paper. *Media sizes: Tray 3: Al*Letter, Statement, US Folio, Legal, Tabloid, A4, A5, A3, B5 JIS, B4 JIS. *Tray 4, 5: Al*Letter, A, B5 JIS.

Automatic 2-sided printing: 18–28 lb. Bond (65–105 gsm) plain paper, heavy paper and letterhead.

Special features

PrintingScout Instantly displays pop-up Help if attention is needed during print jobs.

PhaserSMART provides automated internetbased support.

Auto Install automatically gets you printing over the network in seconds.

Productivity tools for the user: Secure Print*, Proof Print*, Saved Print*, Booklet printing, Intelligent Ready, Scaling, Watermarks, Collation*, Remote printing, Separation pages, N-up, MailLinX E-mail Alerts, Job Accounting, Job Pipelining, Extended font storage. (*not available on B)

Productivity tools for the IT manager: CentreWare IS Embedded Web Server, MailLinX E-mail Alerts, Printer Neighborhood, CentreWare

Color controls

Printer Management Software.

Color standards PANTONE®-approved solid-color simulations, Adobe PostScript device-independent color, CIE International color standards, and support for ICC, ICM and Apple ColorSync color management systems

Color correction PhaserMatch 3.0, TekColor Dynamic Correction Color Profiles selectable from the driver. Automatic, sRGB Display, sRGB Vivid, SWOP, Euroscale Commercial, SNAP, DIC Toyo, Black and White, None

PhaserMatch 3.0 color management for custom profiles Standard 7750GX and DXF, Optional 7750B and 7750DN.

Operating

Dimensions 7750B and 7750DN: width: 25.4 in. (644 mm), height: 19.4 in. (493 mm), depth: 28.1 in. (715 mm), weight: 194 lb. (88 kg.); 7750BX: width: 25.4 in. (644 mm), height: 33.7 in. (857 mm), depth: 28.1 in. (715 mm), weight: 255.7 lb. (116 kg.); 7750DXF: width: 47.0 in. (1194 mm), height: 42.0 in. (1067 mm), depth: 28.1 in. (715 mm), weight: 354.9 lb. (161 kg.)

Environment Temperature: Storage: -20° to 50° C (-4° to 122° F); Operating 10° to 32° C (50° to 90° F) Relative Humidity: Storage: 30% to 55%, Operating: 10% to 85%. Noise Level: 33dBA standby, 51 dBA running.

Electrical 110–127 VAC, 50/60 Hz, 220–240 VAC, 50/60 Hz Consumption: 230 W avg./1000 W max. ENERGY STAR qualified.

Regulatory FCC Part 15, Subpart A, UL listed to UL 1950, CSA certified to CSA-C22.2 No. 950, CE Mark applicable to directives 73/23 EEC and 89/336/EEC CDRH. EN 55022.

Total Satisfaction Services

1-year on-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 7750 printer is backed by the Xerox Total Satisfaction Guarantee.

Consumables Toner Cartridges* 106R00652 Black (32,000 pages) 106R00653 Cyan (22,000 pages) 106R00654 Magenta (22,000 pages) 106R00655 Yellow (22,000 pages) 106R00655

*Capacities are approximate, based on 5% coverage on an A-sized page.

Visit www.xerox.com/GWA for information about the Green World Alliance Supplies Recycling Program

Routine Maintenance Items					
Imaging Unit (Up to 32,000 pages)	108R00581				
Imaging Unit Kit (Qty: 4)	108R00582				
Fuser (110 V) (Up to 60,000 pages)	115R00025				
Fuser (220 V) (Up to 60,000 pages)	115R00026				
Waste Cartridge (Up to 27,000 pages)	108R00575				
Staple Pack (3 refills x 5,000 each)	016-1971-00				
Options and Upgrades					
128 MB Memory 256 MB Memory 512 MB Memory Lower Tray Deck	ZMD128/A ZMD256/A 097S03186				
(three 500-sheet Universal trays) High-Capacity Feeder (one 500-sheet tray, plus two 1,000-sheet A trays)	097S03182				
Finisher (1,000-sheet) Printer Cart	097S03185 ZCARTC/A				
PhaserMatch 3.0 Supplies Startup Kit, Standard Media Phaser 7750B to 7750DN Upgrade	097S03187 097S03143 097S03184				

For information about Phaser Media for this product, go to www.xerox.com/office/7750



















Copyright © 2005 XEROX CORPORATION. All rights reserved. Contents of this publication may not be reproduced in any form without permission of XEROX CORPORATION. XEROX**, Phaser** PhaserSamar**, PhaserGam**, PhaserGam**, CentreWare**, and TexColor** are registered trademarks of XEROX CORPORATION in the U.S. and/or other countries. Total Satisfaction Services is a service mark of XEROX CORPORATION. All other trademarks are the property of their respective manufacturers. PANTONE Colors generated may not match PANTONE publications for accurate color. PANTONE, and other Pantone, Inc. trademarks are the property of Pantone, Inc. as an ENERGY STAR, partner, XEROX CORPORATION has determined that this product meets the ENERGY STAR guidelines for energy efficiency. The ENERGY STAR name and logo are registered U.S. trademarks. The information in this brochure is subject to change without notice. 1/04, 02/05, 04/05