

Xerox® C310 Colour Printer and Xerox® C315 Colour Multifunction Printer



Work doesn't slow down, and
your printer shouldn't either.



C310 Colour Printer

C315 Colour
Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
PRINT SPEED (UP TO:)		
One-sided Speed¹ – Colour Letter (8.5 x 11 in) A4 (210 x 297 mm)	35 ppm 33 ppm	
Two-sided Speed¹ – Colour Letter (8.5 x 11 in) A4 (210 x 297 mm)	17 ppm 16 ppm	
One-sided Speed¹ – B&W Letter (8.5 x 11 in) A4 (210 x 297 mm)	35 ppm 33 ppm	
Two-sided Speed¹ – B&W Letter (8.5 x 11 in) A4 (210 x 297 mm)	17 ppm 16 ppm	
Monthly Duty Cycle² (Up To:) Pages Per Month	80,000	
Recommended Average Monthly Print Volume (Up To:) Pages Per Month	6,000	
Processor/Memory Clock Speed/Cores Memory	1 GHz Dual Core Processor with GPU 1GB RAM	1.2 GHz Quad Core Processor with GPU 2GB RAM
Connectivity Device Connectivity	Hi-Speed USB 2.0 (Type A - Thumbdrive), Gigabit Ethernet, Hi-Speed USB (Type B), Wireless 802.11 b/g/n	
Imaging Technology	Colour Laser	
PRINT AND COPY		
Print Resolution (Up To:)	1200 x 1200 dpi, 4800 Colour Quality	
Copy Resolution (Up To:)	N/A	600 x 600 dpi
First-print-out Time (As Fast As:)	7.2 seconds colour/6.7 seconds B&W	8.0 seconds colour/7.9 seconds B&W
First-copy-out Time (As Fast As:)	N/A	9.1 seconds colour/8.2 seconds B&W
Page Description Languages	PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image	
Print Features³	One Touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings	

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
MOBILE AND CLOUD READY		
Mobile Printing	Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®	
Mobile Scanning	Apple AirPrint, Mopria Scan Service	
Xerox® Workplace Suite and Xerox® Workplace Cloud	Yes	
Cloud Connectivity	Yes (via Xerox Print and Scan Experience)	
SCAN		
Destinations	N/A	Email, Front-side USB drive, FTP, Network or USB Connected Computer, Windows Network Folder
File Formats	N/A	TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS
FAX		
Standard Features	N/A	MH/MR/MMR/JBIG/JBIG2/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward includes: Fax, Email, FTP, Network Folder, Called Number
PRINT DETAILS		
First-print-out Time – Colour (As Fast As:)	7.2 seconds	8.0 seconds
First-print-out Time – B&W (As Fast As:)	6.7 seconds	7.9 seconds
Resolution (Up To:)	1200 x 1200 dpi, 4800 Colour Quality	
Page Description Languages	PostScript® 3 Emulation, PCL® 6 Emulation, PCL 5, XPS, PDF v1.7 emulation, HTML, Direct Image	
Unprintable Page Margin	Print: 4.2 mm from each edge	Print: 4.2 mm from each edge; Copy: 3 mm from each edge
Print from USB	N/A	File Formats: Microsoft Office Formats (Word, Excel, PPT), PDF, HTML, XPS, Image Formats (JPEG, TIFF, GIF, BMP, PNG, PCX) Options available to configure prints from USB; paper source, print blank pages, collate, two-sided printing, paper saver orientation, separator sheets, paper saver, paper saver ordering
Print Driver Types/Operating Systems	Windows® 8, 8.1 Update 1, 10, 11, Windows Server® 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12. For more information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at www.support.xerox.com/en-gb	
Network Protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP	
Font Capability	PCL6 89 scalable fonts, 2 bitmapped PS emulation 158 scalable fonts	
COPY DETAILS		
First-copy-out Time – Colour (As Fast As:)	N/A	9.1 seconds
First-copy-out Time – B&W (As Fast As:)	N/A	8.2 seconds
Simplex Speed (Up To:)	N/A	35 Letter ppm/33 A4 ppm
Duplex Speed (Up To:)	N/A	17 Letter ppm/16 A4 ppm
Sides (Input:Output)	N/A	1:1, 1:2, 2:1, 2:2
Quantity	N/A	1-9,999
Concurrency	N/A	Yes (copy while printing)
Copy Features	N/A	Copy From Size; Copy To Size; Scale 25 % to 400 %; Darkness/Lightness; Sides 1:1, 1:2, 2:1, 2:2; Duplex; Collate; Sample Copy; Content Type – Text, Text/Photo, Photo, Graphics; Content Source – B&W Laser, Colour Laser, Inkjet, Photo/Film, Magazine, Newspaper, Press, Other; Create Shortcut; Colour Advanced Options Paper Setup; Advanced Imaging, Auto Centre, Background Removal, Contrast, Mirror Image, Negative Image, Scan Edge to Edge, Shadow Detail, Sharpness, Colour Balance, Colour Dropout; Create Booklet; Cover Page Setup; Custom Job Build; Edge Erase; Header/Footer; Margin Shift; Overlay; Pages per Side – 2 pages per side, 4 pages per side; Separator Sheets – Between Pages, Between Copies, Between Jobs

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
SCAN DETAILS		
Technology	N/A	Colour Flatbed Scanner with RADF, Contact Image Sensor (CIS)
Capability	N/A	RADF, up to 50 sheets of 75 gsm, Colour/B&W
Concurrency	N/A	Yes (scan while printing)
Input Speed – Colour (Up To:)	N/A	32 ipm simplex/14 ipm duplex letter, 30 ipm simplex/13 ipm duplex A4
Input Speed – B&W (Up To:)	N/A	50 ipm simplex/23 ipm duplex letter, 47 ipm simplex/21 ipm duplex A4
Resolution	N/A	600 x 600 dpi
Resolution (Software Utilities) (dpi)	N/A	150 x 150, 200 x 200, 300 x 300, 400 x 400, 600 x 600
Maximum Scan Area (ADF) (in)	N/A	8.5 x 14 in
Maximum Scan Area (ADF) (mm)	N/A	216 x 355 mm
Maximum Scan Area (Platen) (in)	N/A	8.5 x 11.7 in
Maximum Scan Area (Platen) (mm)	N/A	216 x 297 mm
Media Weight (ADF)	N/A	52 to 120 gsm
Network Filing Protocol	N/A	FTP, SFTP, SMB, USB, Windows Network Folder
File Formats	N/A	TIFF, JPEG, PDF (non-searchable), Secure PDF, XPS
Scan Driver Compatibility	N/A	TWAIN, WIA, ICA
Scan File Compression Options	N/A	PDF – 1 bit – JBIG2, CCIT G4, Flate 8/24 bit – Flate, JPEG TIFF – 1 bit – CCITT G4 8/24 bit – Packbits, LZW JPG – 8/24 bit – JPEG
Supported Scan Destinations	N/A	Email, Front-side USB Drive, FTP, SFTP, Network or USB Connected Computer, Windows Network Folder
FAX DETAILS		
Fax Speed	N/A	33.6K bps
Memory	N/A	18MB
Resolution (dpi)	N/A	B&W standard 200 x 100 send, 200 x 100, 204 x 98 receive B&W fine 200 x 200 send, 200 x 200, 204 x 196 receive B&W superfine 300 x 300 send, 300 x 300, 204 x 391 receive B&W ultrafine 600 x 600 send, 600 x 600, 400 x 400, 408 x 391 receive Colour fine 200 x 200 send, 200 x 200 receive Colour superfine 300 x 300 send, 300 x 300, 400 x 400 receive
Compression	N/A	T.4 1D Modified Huffman Encoding T.4 2D Modified Read Encoding T.6 Modified Modified Read Encoding T.85 JBIG T.88 JBIG2 T.81 JPEG
Fax Features	N/A	Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book
Fax Forward Destinations	N/A	Fax – using one Fax Shortcut Email – using one Email Shortcut FTP – using one FTP Shortcut
DEVICE MANAGEMENT		
Device Management	Remote Console, Embedded Web Server, Xerox Easy Assist	
Xerox® CentreWare® Web Software	Yes	
SECURITY		
Security Protocols/Features	Digitally Signed Firmware Updates, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions, TLS 1.3, Audit Log, Syslog	
WI-FI SECURITY		
Authentication and Encryption Methods	802.11 b/g/n, Infrastructure (BSS) Mode, WPA Personal TKIP PSK (63 char, 64 ASCII), WPA Enterprise, WPA3 Personal, WPA3 Enterprise, 802.1x; EAP-MD5, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/IMSCHAPv2/PAP), LEAP, PEAP	

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
PAPER HANDLING		
AUTOMATIC DOCUMENT FEEDER		
Type of ADF	N/A	Reversing Automatic Document Feeder (RADF)
Capacity (Up To:)	N/A	50 sheets of 75 gsm stock; capacities will vary with different weight stocks
Minimum Media Size (in)	N/A	4.1 x 5.8 in
Minimum Media Size (mm)	N/A	A6 SEF (105 x 148 mm)
Maximum Media Size (in)	N/A	Legal (8.5 x 14 in)
Maximum Media Size (mm)	N/A	216 x 355 mm
Minimum Media Weight (gsm)	N/A	52 gsm
Minimum Media Weight – Duplex (gsm)	N/A	52 gsm
Maximum Media Weight (gsm)	N/A	120 gsm
Maximum Media Weight – Duplex (gsm)	N/A	120 gsm
PLATEN		
Maximum Media Size (in)	N/A	8.5 x 11.7 in
Maximum Media Size (mm)	N/A	216 x 297 mm
MANUAL FEED SLOT		
Standard/Optional	Standard	
Capacity	1 sheet of 75 gsm	
Minimum Media Size (in)	3 x 5 in	
Minimum Media Size (mm)	76 x 127 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	216 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels	
MAIN TRAY		
Standard/Optional	Standard	
Capacity (Up To:)	250 sheets of 75 gsm	
Minimum Media Size (in)	3.8 x 5.8 in	
Minimum Media Size (mm)	98 x 148 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	216 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes	

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION	XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
PAPER HANDLING (CONTINUED)		
550 PLUS 100 SHEET TRAY – 100 SHEET TRAY		
Standard/Optional	Optional – included with the 550 plus 100 Sheet Tray	
Capacity (Up To:)	100 sheets of 75 gsm	
Minimum Media Size (in)	3 x 5 in	
Minimum Media Size (mm)	76 x 127 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	176 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock, Envelopes	
550 PLUS 100 SHEET TRAY – 550 SHEET TRAY		
Standard/Optional	Optional – included with the 550 plus 100 Sheet Tray	
Capacity (Up To:)	550 sheets of 75 gsm	
Minimum Media Size (in)	5.83 x 8.27 in	
Minimum Media Size (mm)	148 x 210 mm	
Maximum Media Size (in)	Legal (8.5 x 14 in)	
Maximum Media Size (mm)	216 x 356 mm	
Minimum Media Weight (gsm)	60 gsm	
Minimum Media Weight – Duplex (gsm)	60 gsm	
Maximum Media Weight (gsm)	176 gsm	
Maximum Media Weight – Duplex (gsm)	105 gsm	
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Labels, Cardstock	
STANDARD/MAXIMUM INPUT CAPACITY		
Standard Input Capacity	251	
Maximum Input Capacity	901	
OUTPUT CAPACITY		
Output Capacity	125	150

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION		XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
DEVICE SPECIFICATIONS			
ELECTRICAL REQUIREMENTS			
North America	100 to 127 volts (V) (100 – 110 Japan) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal 90 to 140 volts (90 – 110 Japan), extreme		
Europe	220 to 240 volts (V) at 47 to 53 hz or 57 to 63 hertz (HZ) nominal (not available in all countries) 198 to 259 volts, extreme		
POWER CONSUMPTION			
Operation/Running – 110V	Simplex 530W; Duplex 360W		
Operation/Running – 220V	Simplex 530W; Duplex 360W		
Standby Mode – 110V	22W	26.2W	
Standby Mode – 220V	22W	26.2W	
Auto Off/Sleep Mode – 110V	1.61W	1.44W	
Auto Off/Sleep Mode – 220V	1.61W	1.44W	
Power Off Mode – 110V	0.2W		
Power Off Mode – 220V	0.2W		
Default Time to Sleep Mode	3 minutes		
Time to First Print from Sleep Mode	15 seconds	16 seconds	
Time to Ready from Off	42 seconds	49 seconds	
OPERATING ENVIRONMENT			
Required Temperature Range – Fahrenheit (storage)	50 to 90 °F Shipping: -40 to 110 °F		
Required Temperature Range – Fahrenheit (operating)	50 to 90 °F		
Required Temperature Range – Celsius (storage)	10 to 32.2 °C Shipping: -40 to 43.3 °C		
Required Temperature Range – Celsius (operating)	10 to 32.2 °C		
Required Relative Humidity	15% to 80% RH		
SOUND POWER LEVELS			
Sound Power Levels (Operating)	Noise Level (Print), Operating: 50 dBA Duplex Print Noise Level, Operating: 52 dBA	Noise Level (Print), Operating: 52 dBA Duplex Print Noise Level, Operating: 53 dBA	
Sound Power Levels (Standby)	Inaudible		
DIMENSIONS AND WEIGHTS			
ENGINES (UNPACKAGED)			
Width (in)	17.4 in		
Depth (in)	16.6 in	23.1 in	
Height (in)	12.1 in	18.2 in	
Weight (lb)	46 lb	60 lb	
Width (mm)	442 mm		
Depth (mm)	421 mm	588 mm	
Height (mm)	308 mm	462 mm	
Weight (kg)	21 kg	27.1 kg	

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SYSTEM SPECIFICATION		XEROX C310 COLOUR PRINTER	XEROX C315 COLOUR MULTIFUNCTION PRINTER
DIMENSIONS AND WEIGHTS (CONTINUED)			
550 PLUS 100 SHEET TRAY (UNPACKAGED)			
Width (in)	16.7 in		
Depth (in)	16.4 in		
Height (in)	5.2 in		
Weight (lb)	9.3 lb		
Width (mm)	424 mm		
Depth (mm)	416 mm		
Height (mm)	133 mm		
Weight (kg)	4.2 kg		
ENGINES (PACKAGED)			
Width (in)	19.5 in	22.0 in	
Depth (in)	23.4 in		
Height (in)	15.8 in	22.4 in	
Weight (lb)	52.3 lb	67.8 lb	
Width (mm)	495 mm	558 mm	
Depth (mm)	595 mm	594 mm	
Height (mm)	402 mm	570 mm	
Weight (kg)	23.8 kg	30.8 kg	
550 PLUS 100 SHEET TRAY (PACKAGED)			
Width (in)	8.6 in		
Depth (in)	20.0 in		
Height (in)	18.8 in		
Weight (lb)	11.45 lb		
Width (mm)	218 mm		
Depth (mm)	508 mm		
Height (mm)	478 mm		
Weight (kg)	5.2 kg		
INSTALLATION CONSIDERATIONS			
Clear area around the device is necessary for access and ventilation. The below table shows the area needed on each side for correct installation.			
Top	10 in/254 mm	12 in/305 mm	
Rear	4 in/101.6 mm		
Left	3 in/76.2 mm		
Right	3 in/76.2 mm		
Front	3 in/76.2 mm		
SYSTEM CERTIFICATION/REGULATORY COMPLIANCE			
Certifications	To view the latest list of certifications, go to xerox.com/OfficeCertifications		
WHAT'S IN THE BOX			
All items contained in the box	C310 Colour Printer Power Cord Installation Guide Product Safety Sheet Quick Use Guide Software and Documentation CD Pre-installed Starter Capacity CMY Print Cartridges: 1,000 page capacity ⁴ ; K cartridge: 1,500 page capacity ⁴	C315 Colour Multifunction Printer Power Cord Installation Guide Product Safety Sheet Quick Use Guide Software and Documentation CD Pre-installed Starter Capacity CMY Print Cartridges: 1,000 page capacity ⁴ ; K cartridge: 1,500 page capacity ⁴	

Xerox C310 Colour Printer and Xerox C315 Colour Multifunction Printer

SUPPLIES AND ACCESSORIES	XEROX C310	XEROX C315
SUPPLIES – NORTH AMERICA AND EUROPE*		
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (3,000 Pages) ⁴	006R04356	
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04357	
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04358	
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04359	
Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (8,000 Pages) ⁴	006R04364	
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04365	
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04366	
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04367	
Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Colour Printer/Multifunction (25,000 Pages)	008R13325	
Genuine Xerox Black Imaging Kit, Xerox C310/C315 Colour Printer/Multifunction (125,000 Pages) ⁵	013R00689	
Genuine Xerox Colour Imaging Kit (CMYK), Xerox C310/C315 Colour Printer/Multifunction (125,000 Pages) ⁵	013R00692	
SUPPLIES – ALL OTHER REGIONS		
Genuine Xerox Black Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (3,000 Pages) ⁴	006R04360	
Genuine Xerox Cyan Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04361	
Genuine Xerox Magenta Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04362	
Genuine Xerox Yellow Standard Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (2,000 Pages) ⁴	006R04363	
Genuine Xerox Black High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (8,000 Pages) ⁴	006R04368	
Genuine Xerox Cyan High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04369	
Genuine Xerox Magenta High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04370	
Genuine Xerox Yellow High Capacity Toner Cartridge, Xerox C310/C315 Colour Printer/Multifunction (5,500 Pages) ⁴	006R04371	
Genuine Xerox Waste Toner Bottle, Xerox C310/C315 Colour Printer/Multifunction (25,000 Pages)	008R13325	
Genuine Xerox Black Imaging Kit, Xerox C310/C315 Colour Printer/Multifunction (125,000 Pages) ⁵	013R00689	
Genuine Xerox Colour Imaging Kit (CMYK), Xerox C310/C315 Colour Printer/Multifunction (125,000 Pages) ⁵	013R00692	
OPTIONAL ACCESSORIES		
550 plus 100 Sheet Tray	497N07995	

* North America (NA): USA, Canada

Europe (XE): UK, France, Germany, Spain, Italy, Netherlands, Belgium, Norway, Sweden, Finland, Denmark, Iceland, Luxembourg, Austria, Switzerland, Portugal, Ireland Andorra, Azores, Corsica, Greenland, Iceland, Lichtenstein, Luxembourg, Madeira, San Marino

¹ Declared print speed in accordance with ISO/IEC 24734.

² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

³ Some functionality may require a software update from xerox.com, available Q4 2021 (C310 only).

⁴ Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

⁵ Approximate pages. Declared yield will vary depending on job run length and media size/orientation and print mode. For more information, visit office.xerox.com/latest/SUPGL-01.PDF
C315 will become available early 2022.

For more information, visit us at www.xerox.co.uk/office.